

Innovative Materials in Modern Construction

^{1,2}Amalagha Nengimote Godwin, ³Adeoye, Ademola Hope, ⁴Chibuzo Joseph Attah, ⁵Moses Adondua Abah, and ⁵Micheal Abimbola Oladosu

¹Business, Management, Accounting and Finance/ Chester Business School, University of Chester, Parkgate Road, Chester CH1 4BJ, United Kingdom

²Department of Marine Engineering, Faculty of Engineering, Niger Delta University, Bayelsa, State, Nigeria.

³Department of Civil Engineering, Faculty of Engineering, Federal University Otuoke, Bayelsa State, Nigeria

⁴Department of Civil Engineering, Faculty of Engineering, University of Nigeria Nsukka, Nsukka, Enugu State, Nigeria

⁵ResearchHub Nexus Institute, Nigeria

Abstract

The construction industry is experiencing a fundamental transformation as novel materials redefine the conception, construction, and maintenance of structures. Conventional construction materials including concrete, steel, lumber, and bricks, although historically dependable, exhibit constraints regarding environmental effect, durability, and adaptability to contemporary performance requirements. In recent decades, there has been an increase in the creation and utilization of innovative materials that improve structural performance, decrease carbon emissions, and incorporate emerging digital technologies. This review consolidates progress in various categories of innovative materials, encompassing high-performance concretes such as ultra-high-performance and geopolymer concretes, smart and responsive materials including phase change composites and self-sensing systems, environmentally sustainable alternatives sourced from recycled and bio-based materials, advanced polymers and fiber-reinforced composites, and multifunctional nanomaterials. The swift acceptance of additive manufacturing has expedited the utilization of bespoke, printable construction materials, profoundly affecting efficiency and design versatility. The essay assesses various materials regarding mechanical, thermal, acoustic, and environmental performance, while rigorously analyzing difficulties including cost, scalability, standardization, and long-term durability. The assessment emphasizes practical applications in buildings, infrastructure, and resilient urban development from a global perspective, as well as new trends such as the integration of artificial intelligence, the Internet of Things, and circular economy models. The findings emphasize that new materials are essential for tackling sustainability, performance, and resilience issues in contemporary building. The analysis finishes by pinpointing significant research deficiencies and providing a prospective outlook on the advancement of construction materials in influencing sustainable, adaptive, and intelligent built environments.

Keywords: Innovative construction materials, sustainability, high-performance concrete, smart materials, bio-based composites and 3D printing.

INTRODUCTION

Over the past century, construction materials have undergone significant evolution. Early structures relied heavily on natural and locally available materials such as stone, timber, earth, and unbaked brick; with industrialization came the mass adoption of steel, Portland cement, and large-scale brick and concrete masonry. These materials enabled the construction of taller buildings, longer spans, and more durable infrastructure, but often at considerable cost to the environment both in terms of resource extraction and emissions of greenhouse gases (Vagtholm *et al.*, 2023). Advances in material science and

engineering have pushed the envelope further, giving rise to composites, engineered polymers, and materials with multifunctional properties (e.g., enhanced durability, thermal regulation) that traditional materials could not provide (Huang *et al.*, 2024).

In the last decade, the pace of innovation has accelerated markedly due to two converging pressures: environmental constraints and performance demands.

Corresponding Author: Moses Adondua Abah
ResearchHub Nexus Institute, Nigeria

Climate change mitigation has made reducing embodied carbon in materials a priority, while population growth and urbanization are driving demand for infrastructure that is more durable, resilient, and adaptable. Researchers and industry alike are exploring how novel materials such as ultra-high-performance concretes, sustainable cement alternatives, advanced composites, and smart materials can respond to these demands. For example, a recent review emphasizes the “past and future of sustainable concrete,” synthesizing over two thousand studies to chart strategies for low-carbon cementitious materials and highlighting how the inclusion of supplementary cementitious materials, novel binders, and waste-derived inputs can reduce the environmental footprint (Brito and Kurda, 2021).

The importance of innovating construction materials stems largely from sustainability concerns. The conventional production of Portland cement alone is responsible for a large share of global carbon emissions, and extraction of raw materials such as sand, gravel, and timber also depletes ecosystems. As cities expand and infrastructure ages, the environmental burden of maintaining and reconstructing built environments looms large. Innovative materials offer pathways to reduce embodied carbon, enhance durability (thus extending service life), and often incorporate recycled or bio-based inputs, contributing to circular economy goals (Ohemeng and Ramabodu, 2025; Huang *et al.*, 2024).

Performance and cost challenges are equally critical. As infrastructure faces more extreme weather, higher load demands, and evolving regulatory frameworks for resilience, materials must satisfy stricter criteria. Mechanical strength, durability against environmental degradation, capacity for self-repair, and adaptability (e.g., for responsive or “smart” functions) are increasingly required. Simultaneously, clients and governments are more cost conscious, seeking materials whose lifecycle costs including maintenance, energy use, and longevity outweigh higher initial costs. Research in rapid-hardening concretes shows how modifiers and new admixtures can deliver superior mechanical performance, crack resistance, and potentially reduced construction downtimes, which can translate into economic advantages over traditional mixes (Elfakhrany *et al.*, 2024).

The purpose of this review is to critically examine the growing role of innovative materials in shaping the future of construction. For more than a century, the built environment has relied heavily on traditional materials such as concrete, steel, timber, and masonry. While these materials have proven reliable, their limitations are

increasingly evident in the context of global challenges, including climate change, resource depletion, and the need for resilient infrastructure. The environmental costs of conventional construction practices, coupled with the demand for higher performance and efficiency, have accelerated the search for alternatives that can deliver both durability and sustainability. In this regard, the development of innovative materials has become a crucial pathway toward reconciling performance demands with ecological responsibility. This review explores a wide spectrum of emerging materials that are redefining the construction sector. Advances in high-performance cementitious systems, smart and adaptive materials, bio-based and recycled alternatives, advanced composites, and nanotechnology-based solutions are examined in terms of their properties, performance, and potential applications. Additionally, the review considers the growing role of additive manufacturing, where new formulations for three-dimensional printing are enabling unprecedented design flexibility and construction efficiency. Beyond assessing material performance, the review also addresses the broader issues of cost, scalability, standardization, and long-term reliability that influence the feasibility of widespread adoption. By situating these developments within a global perspective, the review aims to provide researchers, practitioners, and policymakers with a critical synthesis of current knowledge, while identifying opportunities and research gaps that will shape the future of sustainable and resilient construction.

TRADITIONAL AND MODERN CONSTRUCTION MATERIALS

Conventional construction materials most prominently Portland cement concrete, structural steel, timber, and fired clay masonry have long underpinned global construction practices. Their dominance is due to well-documented structural properties, widespread availability, and standardized codes of practice that assure predictable performance in diverse environments (GlobalABC, 2021). Concrete is favored for its compressive strength and versatility, steel for its tensile capacity and ductility, timber for its renewability and ease of assembly, and masonry for its durability and thermal mass. Together, these materials form the backbone of established supply chains, allowing efficient mass production and large-scale infrastructure delivery (Onat and Kucukvar, 2020).

Despite these advantages, conventional materials are constrained by significant environmental and technical drawbacks. Cement production alone accounts for about 7–8% of global anthropogenic CO₂ emissions, largely from the calcination of limestone and the combustion of

fossil fuels in kilns (Scrivener, John and Gartner, 2018). Concrete, though strong, is brittle and prone to cracking and shrinkage, which can accelerate reinforcement corrosion and reduce service life (Korec, Jirasek and Martínez-Pañeda, 2024). Similarly, steel while highly ductile remains vulnerable to corrosion in marine and industrial environments, demanding costly protective measures and maintenance (Onat and Kucukvar, 2020). Timber, though renewable, faces risks of decay, fire, and insect attack if not carefully treated, while masonry, though durable, often lacks the insulation properties required for modern energy-efficient standards (Nasr et al., 2023). These limitations collectively illustrate the performance ceiling of conventional materials in meeting twenty-first century sustainability and resilience requirements.

The environmental footprint of these materials has been a key driver of innovation. The cement and steel industries are among the highest industrial emitters of greenhouse gases, making material substitution, supplementary cementitious materials, and low-carbon alternatives an urgent research focus (Scrivener et al., 2018; GlobalABC, 2021). Functional

performance is another driver: conventional concretes and steels do not inherently offer self-sensing, self-healing, or adaptive properties, which are increasingly desired in infrastructure designed for long life and low maintenance (Yildirim et al., 2020). Furthermore, resilience demands including exposure to climate extremes, seismic risks, and aggressive chemical environments require materials with enhanced durability and multifunctionality (Qiu, Dong, Ashour and Han, 2020).

Adoption is also shaped by economic and regulatory pressures. While innovative materials may involve higher upfront costs, their reduced life-cycle costs through longer service lives, energy savings, or reduced maintenance offer compelling value propositions for both public and private projects (Nasr et al., 2023). Regulatory frameworks are likewise evolving to prioritize embodied carbon reduction and circular economy principles, reinforcing the transition away from conventional materials. Consequently, the limitations of concrete, steel, timber, and masonry are not only engineering challenges but also catalysts for global investment in innovative construction materials.

Table 1. Comparison of conventional and innovative materials

Property	Conventional Concrete	UHPC	Geopolymer Concrete	Hempcrete	FRP Composites
Compressive strength (MPa)	~30–40	150–200	60–100	3–5	Variable (depend on fibers)
Service life (years)	50–70	>100	70–100	30–50	>75
Embodied CO ₂ (kg CO ₂ /ton)	~800	~600	~250	~100	~200
Key Limitation	High CO ₂	High cost	Limited codes	Low strength	Recyclability

Sources: Ginga et al. (2020); Ullah et al. (2022)

CATEGORIES OF INNOVATIVE MATERIALS

The drive toward sustainability, resilience, and high performance in construction has spurred the development of a broad range of innovative materials. Unlike conventional materials, which are often limited by environmental impact and functional constraints, innovative solutions integrate advanced chemistry, nanotechnology, biotechnology, and

digital fabrication to enhance strength, durability, and multifunctionality (Nasr et al., 2023). These materials not only reduce embodied carbon and operational energy but also extend service life, enable adaptive responses to environmental stimuli, and support circular economy strategies. The following subsections review six major categories of innovative construction materials that are transforming modern practice.

HIGH-PERFORMANCE CONCRETE AND CEMENTITIOUS COMPOSITES

Ultra-high-performance concrete (UHPC) achieves compressive strengths exceeding 120 MPa and demonstrates exceptional durability, enabling slender structural members and long service lives. However, its higher production costs and curing requirements limit widespread adoption (Ullah et al., 2022). Self-healing concretes, achieved through bacterial mineralization or

encapsulated healing agents, can autonomously close microcracks and prolong service life, though large-scale validation is ongoing (Fernandez et al., 2021). In parallel, geopolymer and alkali-activated binders are gaining attention for significantly reducing cement-related emissions while providing excellent chemical resistance (Segura et al., 2023).

SMART AND RESPONSIVE MATERIALS

Smart and responsive materials contribute adaptive




Figure1.Types of advanced materials

Source:Casini (2020)




Figure 2.Typical UHPC samples, (a) made of cubes and (b) reinforced with fibres

Source: Kravanja et al. (2024)



(c) Woodsy Park Pavilion, Toronto, Canada.



(d) Sitrad Elite Benton Ltd., Casablanca, Morocco.



(e) BDAS's building solution, Bangladesh.



(f) The world's first UHPC pedestrian cable-stayed bridge.

Figure 3.Typical UHPC building structures

Source: Kravanja et al. (2024)

features to buildings and infrastructure. Phase change materials (PCMs) absorb and release heat to stabilize indoor temperatures, reducing reliance on active HVAC systems. Shape-memory alloys provide re-centering capacity in seismic zones, improving resilience after earthquakes (Song, Ma and Li, 2006). Meanwhile, self-

sensing composites enhanced with carbon nanotubes or graphene can monitor strain and damage, supporting structural health monitoring systems (Bekzhanova et al., 2021).

ECO-FRIENDLY AND SUSTAINABLE MATERIALS

Table2. *Emerging smart and responsive materials*

Material	Functionality	Applications	Challenges
Phase Change Materials (PCM)	Thermal storage	Façades, wallboards	Stability, Cost
Shape Memory Alloys (SMA)	Seismic resilience	Bridges, joints	Cost, fatigue
Self-sensing Concrete	Structural monitoring	Pavements, bridges	Signal stability

Sources: Han *et al.* (2015); You *et al.* (2017)

Eco-friendly and sustainable materials address the resource and carbon footprint challenges of the sector. Recycled aggregate concrete enables reuse of construction and demolition waste with comparable performance when properly designed (Joseph et al., 2023). Bio-based options such as hempcrete, mycelium composites, and engineered bamboo demonstrate potential as low-carbon, renewable alternatives, although variability and standardization remain barriers. Low-carbon binders, particularly limestone-calcined clay cements (LC3), have shown promise for large-scale industrial adoption due to their reduced clinker content (Meenakshi *et al.*, 2021).

ADVANCED POLYMERS AND COMPOSITES

Fiber-reinforced polymers (FRPs) are widely applied in strengthening aging infrastructure, bridge decks, and façades (Bank, 2006). In addition, nanocarbon-enhanced composites improve mechanical strength and add multifunctionality, though cost and large-scale processing challenges persist (Cui *et al.*, 2022). Lightweight sandwich

panels, combining polymeric cores with composite skins, are increasingly applied in prefabricated construction for energy efficiency, seismic resistance, and rapid assembly.

NANOMATERIALS IN CONSTRUCTION

Nano-silica enhances the hydration process, increasing early strength and durability (Khan *et al.*, 2022). Titanium dioxide coatings provide photocatalytic self-cleaning surfaces and can degrade airborne pollutants, contributing to healthier urban environments. Graphene-based additives are being explored for enhancing durability, conductivity, and freeze-thaw resistance, but remain limited by high production costs (Goyat *et al.*, 2022).

ADDITIVE MANUFACTURING AND 3D PRINTING MATERIALS

Printable concrete mixes tailored for 3D printing incorporate admixtures and rheology control agents to ensure pumpability, extrudability, and buildability. These enable rapid, waste-minimized construction of

Table 3. *Nanomaterials in construction and their functions*

	Function	Benefits	Applications	References
Nano-silica	Filler effect	Higher strength, reduced porosity	High-performance concrete	Khan <i>et al.</i> , 2022
TiO ₂	Photocatalyst	Self-cleaning, air-purification	Coatings, façades	Goyat <i>et al.</i> , 2022
Graphene	Nanofiller	Highconductivity, crack resistance	Next-gen cement composites	Goyat <i>et al.</i> , 2022

customized structures (Buswell et al., 2018). Hybrid materials combining polymers, fibers, and cementitious matrices expand the functionality of 3D printing, facilitating lightweight, multifunctional building elements (Ngo et al., 2018). Case studies of 3D-printed structures,

such as residential units in the Netherlands and bridges in China, demonstrate not only feasibility but also the potential for labor savings, reduced material waste, and design flexibility (Tay et al., 2017).

Table 4. *Additive manufacturing (3D Printing) in construction*

Material	Advantages	Challenges	Example Project	References
Printable concrete	Customizable,waste reduction	R h e o l o g y control	Dubai 3D-printed office	Buswell <i>et al.</i> (2018)
Polymer-concrete hybrids	Lightweight, strong	Durability	Eindhoven 3D-printed bridge	Ngo <i>et al.</i> , 2018
Composite inks	Multi-functionality	High cost	Research stage	Tay <i>et al.</i> , 2017

PERFORMANCE ASSESSMENT AND BENEFITS

Evaluating the performance of innovative materials is essential to understanding their potential advantages over conventional materials. The following sub-sections summarize findings from recent studies on mechanical strength and durability, thermal and acoustic behavior, energy efficiency and carbon footprint reduction, and cost-benefit trade-offs.

MECHANICAL STRENGTH AND DURABILITY

Several recent reviews and experimental studies confirm that many innovative materials exhibit mechanical and durability performance comparable to or better than traditional materials under certain conditions. For example, a state-of-the-art review on biodegradable natural fibre-reinforced composites (NFRCs) highlights that with proper fibre-matrix selection and surface treatments, NFRCs can achieve tensile strength, bending stiffness, and toughness suitable for low to medium load structural applications, while maintaining acceptable durability over time in humid or variable environments (Ramful, 2024). Another study on rubber concrete with partial replacement of coarse aggregate by rubber particles documents that mechanical strength does decline with increased rubber content, but durability (especially impact resistance, damping, freeze-thaw cycles) improves, making such mixtures suitable for non-structural or semi-structural use (He *et al.*, 2003). In ultra-high-performance concrete (UHPC), incorporation of self-healing bacteria has been shown to improve mechanical performance (compressive and flexural strength) and limit crack propagation, while significantly enhancing durability (resistance to water ingress, chloride penetration, etc.) (Riad *et al.*, 2025).

THERMAL AND ACOUSTIC PERFORMANCE

Innovative materials can contribute substantially to better thermal insulation and acoustic comfort. A comprehensive review of insulation materials derived from natural and recycled sources found that some bio-based and waste-based insulating materials (e.g., hemp, flax, sheep wool) achieve thermal conductivity values in the range of 0.031–0.046 W/m·K, comparable to or only slightly worse than conventional synthetic insulation. These materials also offer good sound absorption coefficients (Ouda *et al.*, 2025). Another study on cement based composites with solid waste replacement showcases that by substituting materials such as plastic and rubber, the thermal conductivity of concrete can reduce by up to 77% (depending on replacement volume), and sound absorption can reach up to ~60% at certain frequencies (Wijesinghe *et al.*, 2025).

ENERGY EFFICIENCY AND CARBON FOOTPRINT REDUCTION

Materials that improve insulation or reduce the need

for active heating/cooling can lead to significant energy savings. For instance, buildings whose envelopes incorporate advanced insulation from recycled or natural materials exhibit lower heating and cooling loads, translating into lower operational energy demand over the building life-cycle. (Review: Sustainable Thermal and Acoustic Insulation Materials from Various Waste Sources) (Ouda *et al.*, 2025). Rubber concrete and other composites that increase porosity (while controlling detrimental effects) can help reduce thermal mass, decrease thermal bridging, and contribute to lighter structures, which in turn reduce embodied energy tied to foundations or supporting structures (Wijesinghe *et al.*, 2025).

COST-BENEFIT CONSIDERATIONS

Many innovative materials still carry higher upfront costs—due to specialized processing, non-standard raw materials, or newer technologies but their life-cycle benefits can justify investment under certain conditions. For example, NFRCs might require more careful production and durability testing but deliver savings in maintenance and environmental costs over decades (Ramful *et al.*, 2024). Similarly, using recycled aggregates or partial replacements (waste or rubber) in concrete can reduce material cost and environmental impact, especially when transportation or disposal costs of waste are factored. However, strength losses and durability challenges must be mitigated or accepted in designs where full strength is not critical (He *et al.*, 2003).

CHALLENGES AND LIMITATIONS

While innovative materials offer significant promise, several critical challenges continue to limit their widespread adoption in construction. A major concern relates to technical reliability and long-term structural performance. Many advanced materials such as self-healing concretes, nanomaterial-enhanced composites, and bio-based alternatives—are still in the early stages of application, with durability data primarily derived from laboratory testing rather than real-world service environments. This lack of longitudinal field evidence introduces uncertainties regarding resistance to freeze-thaw cycles, chloride ingress, creep, and fatigue, which are crucial for structural safety and resilience (Riad *et al.*, 2025).

Another significant barrier is standardization and regulatory compliance. Existing building codes and design guidelines are largely tailored to conventional materials, creating difficulties in certifying and approving novel systems. The absence of harmonized testing protocols for properties such as crack-healing capacity, nanomaterial dispersion, or bio-composite variability forces developers to undertake costly bespoke assessments, delaying adoption. Industry reviews have identified regulatory inertia and fragmented certification systems as central

obstacles to the market entry of innovative materials (Elfakhry et al., 2024).

Economic and scalability issues also pose constraints. Some high-performance composites and nanotechnology-based materials remain expensive to produce at industrial scale, while the supply of certain alternative binders (e.g., calcined clays, consistent-quality fly ash) is geographically limited. Although life-cycle assessments often show lower environmental impacts and long-term cost savings, higher upfront costs and uncertain return on investment discourage contractors and public clients from early adoption (He *et al.*, 2003).

Furthermore, there are gaps in long-term monitoring and empirical field data. Most research highlights short-term mechanical and durability properties but provides little insight into decades-long in-service behaviour. Without extensive field demonstrations and performance databases, insurers, clients, and standards committees remain cautious in approving novel materials for critical infrastructure projects (Ramful et al., 2024; Ouda *et al.*, 2025).

Finally, environmental and health considerations cannot be overlooked. Nanomaterials, for instance, enhance mechanical and self-cleaning performance but raise concerns about occupational exposure, environmental persistence, and end-of-life recyclability. Similarly, bio-based composites may face risks of biodegradation, fire resistance limitations, and variability in raw material properties. A precautionary approach involving thorough life-cycle assessments, occupational safety protocols, and environmental monitoring is therefore essential (Ferreira *et al.*, 2023).

APPLICATIONS IN MODERN CONSTRUCTION

The practical application of innovative construction materials has moved beyond experimental phases into real projects, demonstrating tangible benefits across diverse sectors. From enhancing energy efficiency in residential buildings to improving resilience in large-scale infrastructure, novel materials are increasingly shaping modern construction practices. Their use not only reflects the pursuit of sustainability but also responds to growing societal demands for resilience, adaptability, and smart integration in the built environment (He *et al.*, 2003).

RESIDENTIAL AND COMMERCIAL BUILDINGS

Innovative, low-carbon and bio-based materials are finding traction in building envelopes and non-structural elements. Hempcrete, engineered bio-composites and timber systems have been intensively studied for their thermal performance and embodied-carbon advantages and are in

use for low- to mid-rise construction in several regions; life-cycle assessments show meaningful reductions in global-warming potential compared with conventional masonry or concrete partitions when production and transport are optimized (Tong and Memari, 2025). At the same time, engineered cementitious solutions such as geopolymer mixes and concretes incorporating industrial by-products enable masonry and floor elements with lower cement content and improved durability where appropriate mix design and curing regimes are applied (Ullah *et al.*, 2022).

In high-performance commercial façades and fit-outs, multifunctional coatings and composites are used to add value beyond aesthetics. Photocatalytic and self-cleaning TiO₂-enhanced coatings on exterior cladding can reduce surface soiling and remove atmospheric pollutants under suitable exposure, while lightweight sandwich panels and FRP-based façade elements speed up installation and reduce substructure loads though designers must weigh initial cost, maintenance and proven weathering performance over building service lives (Qureshi, 2023).

INFRASTRUCTURE BRIDGES, HIGHWAYS AND TUNNELS

Materials engineered for extreme durability and high strength are especially attractive in infrastructure where maintenance inconvenience and lifecycle cost dominate design decisions. Ultra-high-performance concrete (UHPC) and fiber-reinforced concrete variants are being used for bridge joints, overlays, and precast bridge elements because of their high compressive/tensile capacity, tight pore structure and excellent chloride resistance — characteristics that extend service life and reduce maintenance cycles in aggressive environments (Ullah *et al.*, 2022). Composite materials (FRP) are especially useful where weight reduction and corrosion resistance are priorities: FRP decks, girders and cable elements have been applied in pedestrian and some vehicular bridge prototypes to enable long spans and rapid installation, and FRP reinforcement is used for rehabilitation of aged concrete members to defer or avoid costly replacement. Nonetheless, limited standardization, higher up-front cost and recycling/disposal issues remain barriers to routine adoption for heavy highway use (Qureshi, 2023).

DISASTER-RESILIENT AND CLIMATE-ADAPTIVE STRUCTURES

Smart and adaptive materials are being integrated into structures to improve resilience against seismic, wind and flood events. Shape-memory alloys (SMAs) and SMA-reinforced devices provide self-centering and energy-dissipating functions in seismic detailing (e.g., SMA restrainers, dampers and rebar) and are showing promise

in reducing residual drifts after major events, thereby lowering repair needs and downtime (recent reviews and experimental studies document rapid progress and pilot implementations). Similarly, UHPC and engineered composites contribute to extreme-load resistance in retrofit and new construction scenarios because of high toughness and fatigue resistance. For climate adaptation, materials that reduce urban heat gain (phase-change materials in façades and PCM-enhanced plaster systems), permeable mixes for stormwater management, and photocatalytic surfaces for pollutant reduction are being trialed at the neighbourhood scale. Embedding sensing functionality (self-sensing concretes, conductive fillers) enables continuous condition monitoring that can speed post-event assessment and targeted maintenance — thereby increasing community resilience and lowering long-term costs when integrated correctly (You *et al.*, 2017).

SMART CITIES AND FUTURISTIC PROJECTS

The convergence of advanced materials with digital systems (BIM, IoT and AI-driven monitoring) is enabling new paradigms for asset management and smart building operation. Self-sensing cementitious composites and conductive FRP elements can act both as structural components and distributed sensors, providing real-time data for structural health monitoring and traffic or occupancy detection without separate sensor networks (You *et al.*, 2017). Digital fabrication (robotic 3D concrete printing) and hybrid printable mixes are being demonstrated for on-demand components and bespoke geometries, reducing waste and enabling rapid prototyping for smart urban furniture and micro-infrastructure (Buswell *et al.*, 2018; Ngo *et al.*, 2018).

At the city scale, projects that combine low-carbon materials, photocatalytic surfaces and embedded sensing are still mostly demonstrators, but they point

Table 5. *Applications of innovative materials in construction*

Sector	Material used	Benefits	Example Project
Residential	Hempcrete, Mycelium	Low-carbon, insulation	Hempcrete house (France)
Infrastructure	UHPC, FRP	Durability, low maintenance	Mars Hill Bridge, Iowa (FRP)
Disaster-Resilient	SMA, Self-healing concrete	Earthquake resilience	SMA dampers (Japan)
Smart Cities	3D-printed mixes, self-sensing concrete	Waste reduction, monitoring	Dubai 3D-printed Office

Sources: Buswell *et al.* (2018); Qureshi (2023); Tang *et al.* (2024)

to future districts where buildings contribute actively to environmental quality (pollutant mitigation, energy balancing) and infrastructure providers operate with near-real-time condition awareness. Regulatory harmonization, interoperable data standards and validated LCA/costing frameworks will be essential for moving these pilot demonstrations into mainstream urban projects (Qureshi, 2023).

FUTURE DIRECTIONS

The future of innovative construction materials is shaped by their integration with digital technologies, sustainability targets, and interdisciplinary research. A major trend is the integration of digital technologies such as Artificial Intelligence (AI), the Internet of Things (IoT), and Building Information Modelling (BIM). These systems enable real-time monitoring of self-sensing materials, predictive maintenance of infrastructure, and optimization of material selection based on life-cycle data. For example, IoT-connected self-sensing concretes can transmit performance data directly into BIM platforms, allowing predictive models to extend structural lifespan while reducing inspection costs (Han *et al.*, 2015).

Another direction is the alignment of material innovation with the circular economy and life-cycle strategies.

Recycled aggregates, industrial by-products, and low-carbon binders are already replacing resource-intensive Portland cement in some applications. However, full implementation requires harmonized international standards, improved recyclability of advanced composites, and design-for-disassembly strategies that extend beyond individual materials to entire building systems (Ginga *et al.*, 2020).

The prospect of fully sustainable and self-sufficient buildings is emerging with combinations of bio-based materials, nanotechnology, and additive manufacturing. Hempcrete, mycelium composites, and graphene-enhanced concretes show potential for climate-responsive and energy-efficient design, while 3D printing promises customization and reduced waste at scale (Buswell *et al.*, 2018; Ngo *et al.*, 2018). These advances, however, require extensive field validation and performance benchmarking across diverse climates and regulatory contexts.

Finally, research gaps remain in scaling laboratory innovations to industrial applications, particularly in long-term durability, health impacts of nanomaterials, and recycling pathways for hybrid composites. Addressing these challenges will demand interdisciplinary collaboration between material scientists, civil engineers, environmental researchers, and policy-makers. By bridging experimental

breakthroughs with practical frameworks, the construction industry can progress toward a low-carbon, resilient, and smart built environment (Qureshi, 2023).

CONCLUSION

Innovative construction materials are redefining the possibilities of modern infrastructure and the built environment. Compared with conventional options, these materials provide enhanced durability, lower environmental impact, and multifunctional properties that align with global sustainability and resilience goals (Ullah *et al.*, 2022; Tong and Memari, 2025). Advances in high-performance concretes, smart and self-sensing composites, eco-friendly alternatives, and additive manufacturing demonstrate the breadth of ongoing innovation and its potential to transform design and construction practices (Buswell *et al.*, 2018; Ngo *et al.*, 2018).

Yet, despite encouraging progress, widespread adoption faces challenges related to cost, standardization, and long-term performance validation (Qureshi, 2023). Bridging the gap between laboratory research and real-world application will require rigorous field testing, updated design codes, and interdisciplinary collaboration. Looking forward, the integration of innovative materials with digital technologies such as AI, IoT, and BIM, along with circular economy strategies, offers a pathway toward sustainable, adaptive, and intelligent built environments (Ginga *et al.*, 2020). The trajectory of these developments suggests that while obstacles remain, innovative materials are central to achieving the next generation of construction that is not only functional but also environmentally responsible and resilient.

Acknowledgement

We thank all the researchers who contributed to the success of this research work.

Conflict of Interest

The authors declared that there are no conflicts of interest.

Funding

No funding was received for this research work.

REFERENCES

1. Bank, L. C. (2006). Composites for Construction: Structural Design with FRP Materials. Wiley. DOI:10.1002/9780470121429.ch2
2. Bekzhanova, Z., Memon, S. A. and Kim, J. R. (2021). Self-Sensing Cementitious Composites: Review and Perspective. *Nanomaterials* (Basel, Switzerland). 11(9); 2355. <https://doi.org/10.3390/nano11092355>
3. Brito, J. and Kurda, R. (2021). The past and future of sustainable concrete: A critical review and new strategies on cement-based materials. *Journal of Cleaner Production*. 281; 123558. <https://doi.org/10.1016/j.jclepro.2020.123558>.
4. Buswell, R. A., Leal de Silva, W. R., Jones, S. Z. and Dirrenberger, J. (2018). 3D printing using concrete extrusion: A roadmap for research. *Cement and Concrete Research*. 112; 37–49. <https://doi.org/10.1016/j.cemconres.2018.05.006>
5. Casini, M. (2020). Sustainability of Advanced Materials in Construction. *Encyclopedia of Renewable and Sustainable Materials*, Elsevier. 4; 221–231. <https://doi.org/10.1016/B978-0-12-803581-8.10724-6>.
6. Cui, K., Chang, J.-C., Feo, L., Chow, C. L., Lau, D., et al. (2022). Developments and applications of carbon nanotube reinforced cement-based composites as functional building materials. *Frontiers in Materials*. 9; 861646. <https://doi.org/10.3389/fmats.2022.861646>
7. Elfakhry, M. H., Zamrawi, A., Ibrahim, W., Sherif, A., et al. (2024). Experimental study on the mechanical properties and structural performance of the rapid-hardening concrete. *Journal of Engineering and Applied Science*. 71; 74. <https://doi.org/10.1186/s44147-024-00410-0>
8. Fernandez C.A., M. Correa, M. Nguyen, K.A. Rod, G.L. Dai, L. Cosimbescu and R.J. Rousseau, et al. (2021). Progress and Challenges in Self-Healing Cementitious Materials. *Journal of Materials Science*. 56:1; 201–230. doi:10.1007/s10853-020-05164-7
9. Ferreira, M. T., Soldado, E., Borsoi, G., Mendes, M. P. and Flores-Colen, L. (2023). Nanomaterials Applied in the Construction Sector: Environmental, Human Health, and Economic Indicators. *Appl. Sci.* 13(23); 12896. <https://doi.org/10.3390/app132312896>
10. Ginga, C. P., Ongpeng, J. M. C. and Daly, M. K. M. (2020). Circular economy on construction and demolition waste: A literature review on material recovery and production. *Materials*. 13(13); 2970. <https://doi.org/10.3390/ma13132970>
11. Global Alliance for Buildings and Construction (GlobalABC) / UNEP. (2021). 2021 Global Status Report for Buildings and Construction: Towards a zero-emission, efficient and resilient buildings and construction sector. United Nations Environment Programme. Retrieved from https://globalabc.org/sites/default/files/2021-10/GABC_Buildings-GSR-2021_BOOK.pdf
12. Goyat, R., Saharan, Y., Sraw, J. and Umar, A. (2022). Synthesis of Graphene-Based Nanocomposites

- for Environmental Remediation Applications: A Review. *Molecules*. 27(19):6433. DOI:10.3390/molecules27196433
13. Han, B., Ding, S. and Yu, X. (2015). Intrinsic self-sensing concrete and structures: A review. *Measurement*. 59; 110–128.
 14. He, S., Jiang, Z., Chen, H., Chen, Z., Ding, J., Deng, H. and Mosallam, A. S. (2003). Mechanical Properties, Durability, and Structural Applications of Rubber Concrete: A State-of-the-Art-Review. *Sustainability*. 15(11); 8541. <https://doi.org/10.3390/su1511854>.
 15. Huang, B.-T., Zhang, Z.-L., Nematollahi, B., Yu, J., Dai, J.-G. and Xu, L.-Y. (2024). High-performance and sustainable concrete materials and structures (Editorial). *Frontiers in Materials*. 11; 1506754. <https://doi.org/10.3389/fmats.2024.1506754>
 16. Joseph, H. S., Pachiappan, T., Avudaiappan, S., Maureira-Carsalade, N., Roco-Videla, Á., Guindos, P. and Parra, P. F. (2023). A comprehensive review on recycling of construction demolition waste in concrete. *Sustainability*. 15(6); 4932. <https://doi.org/10.3390/su15064932>
 17. Khan, K., Ahmad, W., Amin, M. N. and Nazar, S. (2022). Nano-Silica-Modified Concrete: A Bibliographic Analysis and Comprehensive Review of Material Properties. *Nanomaterials (Basel, Switzerland)*. 12(12); 1989. <https://doi.org/10.3390/nano12121989>
 18. Korec, E., Jirasek, H. S. and Martínez-Pañeda, E. (2024). Unravelling the interplay between steel rebar corrosion rate and corrosion-induced cracking of reinforced concrete. *arXiv arXiv:2409.05889*. <https://doi.org/10.48550/arXiv.2409.05889>
 19. Kravanja, G., Rizwan, A. M. and Kravanja, S. (2024). A Comprehensive Review of the Advances, Manufacturing, Properties, Innovations, Environmental Impact and Applications of Ultra-High-Performance Concrete (UHPC). *Buildings*. 14(2); 382. <https://doi.org/10.3390/buildings14020382>
 20. Meenakshi, M., Bishnoi, S., Hernandez, J. F. et al. (2021). Limestone calcined clay cement and concrete: A state-of-the-art review. *Cement and Concrete Research*. 149(1):106564. DOI:10.1016/j.cemconres.2021.106564
 21. Nasr, Y., El Zakhem, H., Hamami, A. E. A., El Bachawati, M. and Belarbi, R. (2023). Comprehensive review of innovative materials for sustainable buildings' energy performance. *Energies*. 16(21); 7440. <https://doi.org/10.3390/en16217440>
 22. Ngo, T. D., Kashani, A., Imbalzano, G., Nguyen, K. T. Q. and Hui, D. (2018). Additive manufacturing (3D printing): A review of materials, methods, applications and challenges. *Composites Part B: Engineering*. 143; 172–196. <https://doi.org/10.1016/j.compositesb.2018.02.012>
 23. Ohemeng, E. A. and Ramabodu, M. S. (2025). A global bibliometric and systematic review of sustainable construction materials incorporating waste concrete powder. *Discover Sustainability*. 844. <https://doi.org/10.1007/s43621-025-01740-6>
 24. Onat, N. C. and Kucukvar, M. (2020). Carbon footprint of construction industry: A global review and supply chain analysis. *Renewable and Sustainable Energy Reviews*. 124; 109783. <https://doi.org/10.1016/j.rser.2020.109783>
 25. Ouda, M., Ala A., Sanad, A., Abdelaal, A., Krishna, A., Kandah, M. and Kurdi, J. (2025). A Comprehensive Review of Sustainable Thermal and Acoustic Insulation Materials from Various Waste Sources. *Buildings*. 15(16); 2876. <https://doi.org/10.3390/buildings15162876>
 26. Pol Segura, I., Ranjbar, N., Juul Damø, A., Skaarup Jensen, L., Canut, M. and Arendt Jensen, P. (2023). A review: Alkali-activated cement and concrete production technologies available in the industry. *Heliyon*. 9(5); e15718. <https://doi.org/10.1016/j.heliyon.2023.e15718>
 27. Qiu, L., Dong, S., Ashour, A. and Han, B. (2020). Antimicrobial concrete for smart and durable infrastructures: A review. *Construction and Building Materials*. 260; 120456. <https://doi.org/10.1016/j.conbuildmat.2020.120456>
 28. Qureshi, J. (2023). A review of fibre reinforced polymer bridges. *Fibers*. 11(5); 40. <https://doi.org/10.3390/fib11050040>
 29. Ramful, R. (2024). Mechanical performance and durability attributes of biodegradable natural fibre-reinforced composites—a review. *J Mater. Sci: Mater Eng*. 19; 50. <https://doi.org/10.1186/s40712-024-00198-0>
 30. Riad, I. M., Amin, M., Elsakhawy, Y., et al. (2025). Performance study of bacteria on improving fresh, mechanical, and durability characteristics of ultra-high-performance concrete. *Innovative Infrastructure Solutions*. 10; 430. <https://doi.org/10.1007/s41062-025-02237-x>

31. Riad, I.M., Amin, M., Elsakhawy, Y. et al. (2025). Performance study of bacteria on improving fresh, mechanical, and durability characteristics of ultra-high-performance concrete. *Innov. Infrastruct. Solut.* 10, 430. <https://doi.org/10.1007/s41062-025-02237-x>
32. Scrivener, K. L., John, V. M. and Gartner, E. M. (2018). Eco-efficient cements: Potential economically viable solutions for a low-CO₂ cement-based materials industry. *Cement and Concrete Research.* 114; 2–26. <https://doi.org/10.1016/j.cemconres.2018.03.015>
33. Song, G., Ma, N. and Li, H.-N. (2006). Review of Applications of Shape Memory Alloys in Civil Structures. *Engineering Structures.* 28(9); 1266–1274. DOI:10.1016/j.engstruct.2005.12.010
34. Tay, Y. W. D., Panda, B., Paul, S. C., Noor Mohamed, N. A., Tan, M. J. and Leong, K. F. (2017). 3D printing trends in building and construction industry: a review. *Virtual and Physical Prototyping.* 12(3); 261–276.
35. Tong, W. and Memari, A. M. (2025). State of the art review on hempcrete as a sustainable substitute for traditional construction materials for home building. *Buildings.* 15(12); 1988. <https://doi.org/10.3390/buildings15121988>
36. Ullah, R., Qiang, Y., Ahmad, J., Vatin, N. I. and El-Shorbagy, M. A. (2022). Ultra-High-Performance Concrete (UHPC): A State-of-the-Art Review. *Materials* (Basel, Switzerland). 15(12); 4131. <https://doi.org/10.3390/ma15124131>
37. Vagtholm, R., Matteo, A., Vand, B. and Tupenaite, L. (2023). Evolution and Current State of Building Materials, Construction Methods, and Building Regulations in the U.K.: Implications for Sustainable Building Practices. *Buildings.* 13(6); 1480. <https://doi.org/10.3390/buildings13061480>
38. Wijesinghe, K.A.P., Lanarolle, G., Gunasekara, C. et al. (2025). Thermal and acoustic performance of solid waste incorporated cement-based composites: an analytical review. *Arch. Civ. Mech. Eng.* 25; 106. <https://doi.org/10.1007/s43452-025-01160-3>
39. Yıldırım, G., Öztürk, O., Al-Dahawi, A. and Şahmaran, M. (2020). Self-sensing capability of engineered cementitious composites: Effects of aging and loading conditions. *Construction and Building Materials.* 231; 117132. <https://doi.org/10.1016/j.conbuildmat.2019.117132>
40. You, I., Yoo, D.-Y., Kim, S., Kim, M.-J. and Zi, G. (2017). Electrical and self-sensing properties of ultra-high-performance fiber-reinforced concrete with carbon nanotubes. *Sensors.* 17(11); 2481. <https://doi.org/10.3390/s17112481>

Cite this article: Moses Adondua Abah et.al. *Innovative Materials in Modern Construction International Journal of Research in Management Science and Engineering (IJRMSE)* 2026; 3(1): 28-31.

Copyright: © 2026. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.